

Keyword index

A

- AAA pheromone – See: attraction-aggregation-attachment pheromone
AaOR7 27
ABC PRO suction trap 233
acaricide 341
acaricide tags 341
acetic acid 48, 52, 151, 153, 158, 161, 163, 165, 333, 336
– ethyl lactate 48
acetone 17, 51, 143, 154, 155, 160, 161, 167, 169, 192, 195, 223, 228, 230, 236, 252, 253, 254, 265, 270, 271, 272, 274, 276, 277, 278, 282, 293, 295, 297, 298, 301, 335
acetophenone 26, 28
acetothiophene 52
acetylphenone 52
acetylpyridine 52
acetylthiazole 52
across-fibre patterning 54
action potential 96, 97
activation 115, 118, 119, 121, 250, 258, 268, 271, 294, 295, 301, 309, 315, 328
activator 146, 194, 205, 320, 402
active
– orientation 250
– phase 122
– space 132
activity rhythm 115
adenosine triphosphate 66
adenotrophic viviparity 265
adenyl cyclase 19
adenylyl cyclase 66, 68
Aedes 25, 32, 39, 44, 127, 130, 132, 193, 238
– *aegypti* 17, 18, 21, 22, 23, 24, 25, 27, 28, 29, 30, 31, 39, 41, 44, 47, 49, 52, 53, 54, 63, 65, 67, 69, 70, 72, 73, 74, 75, 91, 92, 93, 94, 97, 99, 100, 101, 102, 105, 118, 120, 121, 122, 124, 126, 127, 128, 130, 133, 136, 143, 144, 145, 146, 147, 148, 150, 151, 152, 153, 154, 155, 156, 157, 165, 167, 168, 169, 228, 231, 351, 352, 354, 356, 358, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 382, 384, 385, 386, 388, 390, 391, 399, 400, 401, 402
– *aegypti* genome 68
– *albopictus* 156, 366, 370, 371, 372, 373, 376, 383
– *caspianus* 189
– *dalzieli* 189
– *hirsutus* 189
– *polynesiensis* 355
– *taeniorhynchus* 94
– *triseriatus* 47, 371
Aethia cristatella 156, 337
Africa 248, 266, 279, 281, 283, 301, 365, 403
African horse sickness 220
age 53
agent-based model 404
AgGR 28, 29, 53
aggregation 69, 224
aggregation pheromone 67, 312, 319
AgOR 28, 29, 30, 32
AgOR7 26
AgOR8 28, 29, 53, 55
Agrotis segetum 70
AHSV 234, 238
aim-then-shoot 125
air entrainment 228
air pollutant 238
Akabane virus 220
alarm pheromone 316
alcohol 51, 53, 163, 167, 191
aldehyde 46, 163, 167, 168
– aromatic 330
– C8 293
aliphatic acid 27
n-aliphatic aldehyde 318
aliphatic carboxylic acid 26, 47, 50, 143, 157, 158, 163, 168, 169, 195
n-aliphatic carboxylic acid 317
allergic reaction 248
allo-aroma-dendr-9-ene 208
allomone 147, 165, 166, 272, 273, 328, 338
alpha-isomethylionone 230, 232
Amazon basin 311
Amblyomma
– *americanum* 328, 330, 334, 335, 336, 337, 340, 342
– *cajennense* 339
– *cohaerens* 333
– *hebraeum* 328, 332, 333, 334, 335, 336, 338, 339, 341

- *maculatum* 330, 339, 341
- *variegatum* 327, 328, 330, 331, 332, 333, 334, 335, 336, 338, 339, 340, 341, 342
- ammonia (NH₃) 17, 47, 48, 49, 50, 51, 52, 53, 54, 55, 91, 109, 130, 143, 151, 152, 155, 157, 158, 159, 160, 161, 167, 168, 187, 190, 191, 193, 194, 228, 237, 313, 316, 317, 318, 332, 335, 379, 381, 404
- ammonium bicarbonate 237
- amyl acetate 318
- anaphylactic shock 248
- anaplasmosis 327
- anautogenous 104, 116
- anemotactic response 280
- anemotaxis 116, 123, 126, 232
- Angola 183, 185, 186, 274
- angular velocity 335
- animal extract 223
- Anopheles* 25, 32, 39, 127, 130, 181, 197
 - *arabiensis* 122, 128, 132, 133, 181, 182, 183, 184, 187, 188, 189, 191, 192, 193, 194, 195
 - *aruni* 182
 - *brucei* 182
 - *bwambae* 181, 182
 - *confusus* 182
 - *coustani* 184, 187, 189
 - *funestus* 129, 181, 182, 185, 187, 188, 189, 190, 193, 194, 355
 - *fuscigenosus* 182
 - *gambiae* 17, 18, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 39, 41, 44, 45, 47, 48, 49, 51, 52, 53, 54, 63, 67, 69, 70, 74, 94, 106, 107, 118, 120, 121, 122, 126, 128, 129, 145, 146, 147, 148, 150, 157, 161, 165, 167, 168, 181, 182, 183, 184, 188, 189, 190, 191, 192, 193, 194, 195, 260, 318, 352, 355, 358, 399, 400, 401, 402
 - *gambiae* genome 68
 - *gambiae sensu stricto* 120, 122, 128, 129, 133, 136, 143, 144, 158, 159, 181, 187, 195, 211
 - *leesoni* 182
 - *maculipennis* 41, 44
 - *melas* 181, 182, 183
 - *merus* 181, 182, 184
 - *moucheti* 185
 - *nili* 185, 187, 190
 - *parensis* 182
 - *pharoensis* 186, 187, 188, 189, 193, 194
 - *punctulatus* 352
 - *quadriannulatus* 51, 128, 129, 130, 132, 162, 182, 184, 187, 189, 192, 194
 - *quadriannulatus species A* 181
 - *quadriannulatus species B* 181
 - *rivulorum* 182
 - *rufipes* 189
 - *sergenti* 187, 189, 194
 - *squamosus* 187, 189
 - *stephensi* 41, 43, 50, 93, 94, 118, 356
 - *vaneedeni* 182
 - *ziemanni* 44, 187, 194
- Antarctica 219
- antenna 21, 23, 24, 27, 30, 31, 39, 40, 41, 42, 44, 45, 64, 65, 67, 74, 92, 93, 94, 96, 125, 126, 146, 206, 229, 230, 312
- antennal lobe 26, 27, 29, 30, 31, 45, 63, 74, 79, 80
- antennal pedicel 314
- Antheraea polyphemus* 21, 23, 65
- anthropophagic 133, 206
- anthropophilic 43, 122, 128, 132, 133, 144, 145, 151, 182, 183, 185, 190, 191, 250
 - behaviour 402
- anticoagulant 353
- anti-coagulation factor 358
- anti-platelet compound 353
- anti-platelet factor 358
- Apis mellifera* 20, 76, 77, 78
- apocrine sweat 255
- apyrase 349, 358, 359
- Arachnidae 92
- arbovirus 220
- Argas*
 - *persicus* 333, 334, 341
 - *walkerae* 333, 335
- Argasidae 327
- Argentina 311, 368
- armadillo 310
- arrestant 146
- arrestin 20
- arrestment 115
 - (assembly) pheromone 338
 - pheromone 332, 333, 334, 339
- asexual parasitaemia 351
- Asia 365

- assembly pheromone 339, 340
- AtrAedes* lure 374, 375, 378
- attractant 135, 143, 144, 145, 146, 150, 151, 156, 168, 181, 182, 187, 193, 194, 195, 196, 197, 203, 204, 205, 239, 252, 320, 402
- attraction 132, 133, 135, 136, 144, 166, 189, 205, 206, 207, 296, 309, 328, 355
- attraction-aggregation-attachment (AAA)
 - pheromone 328, 333, 334, 338, 339, 340, 341, 342, 343
 - component 331
- attractiveness 187, 188, 208, 210
- audio signals 209, 210
- Australia 221, 222, 226, 235, 310, 327, 376, 378, 383, 386
- autogenous 104, 116, 248
- autogeny 218
- Autospike 95
- axillary 331
- axillary odour 47, 53
- axon 42, 45, 80, 92
- Axonopus compressus* 371
- 8-azaguanine 339
- B**
- babesiosis 327, 336
- Bacillus thuringiensis* var. *israelensis* 384
- back pack aspirator 382
- bait 131, 144, 147, 167, 182, 187, 189, 190, 191, 192, 193, 194, 195, 196, 197, 205
- baited trap 320
- baker yeast 321
- bancroftian filariasis 144
- β -barbatene 208
- basic reproductive number 358
- Bayrepel 235
- Beauveria bassiana* 341
- behaviour 20, 30, 53, 65, 68, 73, 74, 80, 91, 94, 99, 106, 115, 117, 118, 120, 122, 123, 125, 129, 136, 182, 184, 203, 204, 205, 207, 209
 - defensive 304
 - foraging 53
 - manipulation 349
- behavioural
 - package 258
 - resistance 403
 - response 54, 55, 79
 - response, defensive 353
- Belgium 220
- Benin 183, 274
- benzaldehyde 163, 164, 165, 230, 232, 331, 332, 333
- benzene 46, 155
- benzeneethanol 160, 162
- benzoic acid 154, 164, 333, 337
- benzothiazole 160, 161, 372
- benzyl alcohol 70, 72, 163
- beta trap 300
- BG
 - Lure trap 380, 381, 383
 - Mesh lure trap 237
 - Sentinel trap 367, 381, 382, 383, 391
- biased random walk 270
- bioassay 122, 127, 130, 135, 136, 143, 145, 148, 165, 167, 168, 205, 206, 208, 231, 272, 273, 338, 374
- biting
 - inhibitor 255
 - midge 91, 94, 95, 96, 97, 98, 101, 102, 124, 144, 402
 - periodicity 369
 - site, preferential 223
 - site selection 251
- blend 48, 55, 128, 135, 143, 150, 155, 157, 165, 167, 169, 182, 187, 191, 193, 195, 206, 207, 231, 270, 276, 316, 337, 400, 402
 - natural and synthetic 13
 - volatile 55
- blood feeding 94, 99, 100, 103, 105, 109, 118, 119, 124, 191, 211, 239, 247, 248, 291, 293, 294, 327, 350
 - parasite-induced changes in behaviour 351
 - persistence 357
- blood meal 53, 68, 91, 92, 99, 104, 115, 133, 145, 146, 150, 205, 206, 236, 259, 273, 276, 296, 311, 319, 358
- bluetongue virus (BTV) 13, 218, 220, 228, 234, 238, 239
- body odour 30, 188, 236
- Bolivia 311
- Bombyx mori* 20, 80
- Borrelia burgdorferi* 353
- Botswana 183, 185
- brain 26, 45, 55, 74, 76, 78, 79, 92, 96

Brazil 204, 205, 311, 365, 366, 368, 375, 376,
377, 378, 382, 384, 386, 388, 390, 391,
392, 402
breath 46, 47, 122, 135, 151, 155, 156, 161,
187, 188, 189, 205, 235, 253, 333, 379
– exhaled 351
Breteau Index 366, 368
Brugia malayi 350
BTV – See: bluetongue virus
buffalo 268, 272, 273
Burkina Faso 183, 185, 186, 188, 189, 266,
275, 277, 280, 282
Burundi 183, 185, 186
bushbuck 275, 276
– urine 276
bushpig 272
1,3-butanediolamine 155
2,3-butanediol 164, 165
2,3-butanedione 160, 162
butanoic acid 70, 72, 151, 153, 158, 160,
163, 295, 296, 333, 336
1-butanol 160, 162
butanone 154, 156, 223, 265
2-butoxyethanol 48, 50, 70, 72
1-butylamine 52
2-butylamine 313
butylamine 26, 27, 51, 52, 313
butyric acid 313
8-butyrolactone 331

C

cabbage root fly 125
calf 188, 189
Cameroon 183, 185, 186, 250, 260, 266
Canada 247, 248
canine skin 336
Cape Verde 183
capitate peg 27
– sensilla 29, 44, 48, 52, 53, 54
caproic acid 379, 381
6-caprolactone 331, 332
carbohydrate 46
carbon dioxide (CO₂) 14, 17, 27, 28, 29, 30,
46, 52, 53, 73, 91, 92, 93, 94, 95, 96, 97, 98,
99, 100, 101, 103, 105, 106, 107, 108, 109,
115, 117, 118, 120, 122, 124, 127, 128,
130, 131, 132, 133, 134, 135, 136, 143,
144, 151, 157, 158, 161, 162, 163, 169,

181, 187, 188, 189, 190, 191, 192, 193,
194, 195, 204, 205, 206, 207, 223, 228,
229, 230, 231, 233, 234, 236, 237, 238,
239, 247, 250, 251, 252, 253, 254, 255,
256, 257, 258, 259, 260, 265, 270, 271,
272, 273, 276, 277, 281, 282, 291, 293,
294, 295, 296, 297, 298, 299, 301, 309,
315, 316, 317, 318, 319, 320, 321, 327,
328, 330, 335, 336, 339, 340, 341, 343,
367, 370, 379, 380, 381, 382, 383, 399,
401, 402, 403
– plume 135
– receptors 54
carbon disulfide 154, 156, 164
carboxylic acid 43, 51, 52, 55, 72, 151, 157,
167, 191, 193, 194, 195, 293, 294, 379, 404
– aromatic 154, 164
Caribbean 222
(E)- β -caryophyllene 208
cation channel 69
cattle 187, 191, 192, 195, 268, 273, 277
– faeces 293
– odour 277, 278, 293
– urine 301
CDC
– backpack aspirator 369, 376
– gravid trap 370, 376
– light trap 14, 382, 383
cembrene 203, 207
Central African Republic 183, 185, 275, 276
Central America 247
central nervous system (CNS) 71, 74, 97, 98,
106, 229
Ceratopogonidae 101, 217
Cercopithecus aethiops 190
Chad 183, 185, 186
Chagas disease 14, 309, 310, 311, 321, 350
Chaitophorus stevensis 238
Chelydra serpentina 248
chemical
– cue 22, 64, 143, 204
– ecology 55
– signal 18, 209, 211
– stimulus 92, 99
chemokinetic responses 232
chemoreception 18, 30, 67
chemoreceptor 94
– neuron 92

- chemosensory
 - information 74
 - protein 21
 - sensilla 23, 25, 27
 - system 109
- chemotactic response 232
- chemotaxis 232
- chicken 162, 166, 311, 314
- Chikungunya 13, 17, 144, 402
- Chile 311
- China 221, 310
- cholesterol 155, 163
- cholinergic connection 77
- cibarial pump 354
- circadian
 - clock 115, 309, 311, 319
 - rhythm 117, 118, 148, 150, 223, 355
- cis-vaccenyl acetate 23
- citral 70, 72
- citronellol 48, 51, 293
- climate change 218, 237
- climatic condition 226
- cluster analysis 388
- Cnephia pecuarum* 254
- CNS – See: central nervous system
- CO₂ – See: carbon dioxide
- cockroach 74, 76, 78, 319
- coding pathway 78
- Cola laurifolia* 274
- Colophospermum mopane* 268
- Columbia 369
- common crane 259
- community-based
 - dengue control 392
 - intervention 278
- Congo 183, 185
 - -Brazzaville 275, 277
 - Democratic Republic of 183, 185, 186, 275, 280
- contact pheromone 204
- Container Index 368
- continuous feeding model 360
- controlled-release device 373
- convection 136
 - current 117, 127, 134
 - heat 42
- convention
 - current 126
- copulation 209, 210, 225
- co-receptor 24, 52
- Côte d'Ivoire 183, 185, 186, 275, 280
- counterflow geometry 234
- coupled gas chromatography-electroantennography 231
- cow 21, 51, 190, 191
 - odour 254
 - urine 254, 255
- crepuscular 223
- m-cresol 293
- p-cresol 47, 293, 295, 296, 372
- crested auklet 337
- Crimean Congo Haemorrhagic fever 327
- crosstalk 76
- Cuba 369
- Culex* 39, 44, 47, 122, 127, 132, 193, 194
 - *annulirostris* 223
 - *antennatus* 189
 - *duttoni* 189
 - *molestus* 104, 105
 - *nebulosus* 189
 - *nigripalpus* 165, 371
 - *pipiens* 41, 54, 92, 93, 100, 103, 104, 105, 136, 371
 - *pipiens quinquefasciatus* 17, 399
 - *quinquefasciatus* 25, 27, 28, 30, 31, 50, 55, 63, 69, 70, 72, 73, 74, 93, 94, 107, 118, 131, 143, 144, 146, 147, 150, 162, 163, 165, 166, 168, 169, 192, 211, 352, 355, 369, 371, 372, 373, 400
 - *tarsalis* 131, 165, 372
 - *territans* 41
- Culicidae 366
- Culicoides* 102, 103, 217
 - *albicans* 223
 - *barbosai* 222
 - *bolitinos* 225
 - *brevitarsis* 218, 223, 224, 226
 - *chiopterus* 220, 225
 - *darlingtonae* 230
 - *delta* 223
 - *dewulfi* 220, 225
 - *flavivenula* 230
 - *floridensis* 222
 - *furens* 102, 222, 223, 231, 233, 234, 236
 - *glabellus* 230
 - *heliconiae* 230

- *henryi* 221
- *histrio* 224
- *hollensis* 222, 223
- *imicola* 218, 219, 220, 226
- *immaculatus* 222
- *impunctatus* 218, 219, 220, 221, 223, 224, 227, 228, 230, 231, 232, 235, 236, 238, 239
- *insinuates* 230
- *longior* 221
- *lupicaris* 223
- *marmoratus* 221
- *melleus* 222, 223, 224
- *mississippiensis* 102, 103, 222, 234, 236
- *molestus* 221, 224
- *nubeculosus* 224, 225, 226, 230, 235, 238, 239
- *obsoletus* 218, 220, 225
- *ornatus* 221
- *paraensis* 230
- *pseudodiabolicus* 230
- *pulicaris* 220, 223, 225
- *punctatus* 225
- *scoticus* 220, 225
- *sonorensis* 239
- *stellifer* 102
- *subimmaculatus* 221, 222, 224
- *tissoti* 222
- *variipennis* 226, 236
- *variipennis sonorensis* 227, 238
- *vexans* 223

Culiseta

- *inornata* 25, 26
- *melanura* 94

cuticular hydrocarbons 210

cyclic adenosine monophosphate 19, 66

cyclic feeding model 360

cysteine 22

D

decanal 72, 152, 156, 230, 232, 372

(E)-2-decanal 165

decanoic acid 151, 153, 159, 161, 163

decanol 163

2-decanone 154

deer 223

DEET – See: N,N-diethyl-meta-toluamide

dehydrolinalool 235

dendrite 18, 24, 31, 32, 39, 42, 43, 44, 64, 69

dengue 13, 17, 39, 144, 291, 365, 367, 376, 384, 385, 388, 390, 391, 402, 404

– control 377, 378

– fever 350, 368

– haemorrhagic fever 365

– risk 366

– transmission risk 368

– virus 366

Dermacentor variabilis 329, 330, 331, 334, 335, 336, 337

desiccation 237

deterrent 15

diapause 54, 103

dichloromethane 155, 156, 167, 338

2,6-dichlorophenol 339, 341

Dictyoptera 74

differential attractiveness 227

dihydromyrcenol 230, 232

dimethyl

– amine 313, 318

– disulfide 143, 154, 156, 164, 167, 169

– sulfide 331

– trisulfide 155, 156, 164, 165, 294, 295, 296

diones 167

Dipetalogaster maxima 314

Diptera 74, 92

Dirofilaria– *immitis* 350– *ursi* 249

disability-adjusted life years 203

disease

– transmission 13, 14, 98, 143, 204

– vector 13, 23, 56, 63, 69, 70, 80, 110, 169

dispersion 133

diurnal 120, 150

Djibouti 183

2,3-docosanediol 164, 165

dodecanal 165

dodecanoic acid 151, 153, 159, 161, 163

n-dodecanoic acid 204

1-dodecanol 47, 158

doe urine 337

dog 351

– ears 336

DOR67d 21

dose

- -effect 252
- -response curve 188, 252, 295
- -response relationship 294
- Drosophila* 18, 20, 21, 22, 23, 24, 25, 26, 29, 30, 31, 45, 53, 106, 117, 121, 130, 146, 210, 211
- *melanogaster* 17, 44, 45, 67, 68, 71, 76, 77, 78, 79, 80, 106, 211, 238, 400
- *melanogaster* OR83b 69
- dry ice 251, 321, 370, 379
- dual-choice
 - assay 187
 - bioassay 372
 - olfactometer 232
 - test 189
- dual-port olfactometer – See: olfactometer, dual-port
- dung
 - odour 294
 - volatile 295, 296

E

- E-2-heptenal 331
- EAG – See: electroantennogram
- East Coast fever 341
- ectoparasite 327
- ectopic expression 71
- Egypt 186, 189
- Ehrlichia* (*Cowdria*) *ruminantium* 340
- electric net 132, 189, 268, 269, 271, 276, 277, 401
- electroantennogram (EAG) 165, 167, 229
- electroantennography 146, 228, 270
- electrophysiological 206
 - response 23, 30
 - study 26, 48, 54, 55, 95, 251, 293, 294
- ELISA 259
- emanation 162
- encephalitis 17
- endogenous
 - activity 293
 - physiological factor 318
 - rhythm 269
- endophagic 186
- endophilic 182
- epizootic haemorrhagic disease 220, 221
- Equatorial Guinea 183, 185
- equine encephalosis 221

- erhlichiosis 327, 336
- Eritrea 183, 185
- ethanol 162
- Ethiopia 183, 184, 185, 186, 191, 301
- ethylamine 313, 318
- ethyl butyrate 48, 70, 72, 156
- ethyl disulfide 154, 156, 164
- ethylene glycol 163
- 2-ethylhexanoic acid 333, 337
- 2-ethylhexanol 230, 232
- ethyl lactate 48
- ethyl-L-lactate 48, 70, 72
- ethyl mercaptan 331
- 4-ethylphenol 50, 158, 224
- ethyl propanoate 48
- ethyl propionate 48
- Eucalyptus citriodora* 235
- eugenol 48, 51, 70, 72
- Europe 247
- evolution 17, 24, 30
- EVS trap 370, 382
- excitation 39
- exophagic 186, 224, 225
- exophilic 184, 186, 224
- extrinsic incubation period 227

F

- F3 trap 300
- faeces 165, 167, 319
- fatty acid 17, 48, 130, 228, 379
 - derivative 46
- Fay-Prince trap 367, 370, 382
- feather 336
 - odour 314
- feeding
 - aggregation 338
 - persistence 349, 356, 361
 - site preference 257, 338
- filament 124, 128, 151
- filiariasis 17
- Flaviviridae 365
- flea 359
- flight
 - path 119, 122, 132
 - periodicity 294
 - simulator 130
- floating larval trap 369
- fluoro-lactate 48

- fly 22
 foot odour 190, 191, 193
 fox 206
 France 220, 225
 French Polynesia 376
 fruit fly 319
 functional
 – genomics 63
 – group 45
 – specificity 20
 – type 49, 55
 furan 314, 318
 furfural 331
Fusca group 266, 267, 274, 279
- G**
 GABA receptor antagonists 77
 Gabon 183, 185, 186, 383
 GAL4/UAS expression system 67
 Gambia 183, 185, 186
 game elimination 266
 gametocytes 351, 352
 gas chromatography 145, 228, 270, 312
 – -mass spectrometry analysis 46, 47
 – -mass spectrometry 228
 – -SSR 73
 gene 17, 20, 21, 23, 24, 29, 31, 39, 44, 45, 55, 67
 – sequence 146
 – silencing 358, 400
 genetically modified vector 400
 genetics 14
 genetic variation 280
 genome 17, 22, 24, 45, 136
 – sequencing 63, 80
 genomic studies 64
 geographic information system (GIS) 367, 384, 390
 – map 386, 391
 – technology 239
 geranyl acetone 47, 50, 143, 154, 156, 160, 161, 169, 228, 230, 232, 235
 Germany 220
 Ghana 183, 185, 186
 GIS: – See geographic information system
 glandular secretion 337, 338
 global warming 105
 glomeruli 27, 29, 31, 74, 75, 76, 77, 78, 79, 80
Glossina 303
 – *austeni* 268, 273, 279, 280
 – *brevipalpis* 274, 280
 – *fuscipes* 265, 275, 276, 280
 – *fuscipes fuscipes* 277, 280, 282
 – *longipalpis* 273
 – *longipennis* 274, 279, 280
 – *medicorum* 274
 – *morsitans centralis* 267, 273
 – *morsitans morsitans* 265, 267, 268, 273, 278, 280, 296
 – *morsitans submorsitans* 267, 279, 282
 – *pallidipes* 252, 253, 265, 267, 268, 273, 274, 278, 279, 280, 282, 352, 355
 – *palpalis* 265, 275, 281
 – *palpalis gambiensis* 275, 277, 280
 – *palpalis palpalis* 274, 277, 280
 – *swynnertoni* 268, 273
 – *tachinoides* 274, 275, 277, 280, 282
 Glossinidae 292
 glycerol 152, 163
 goat 187, 191, 272, 273
 gonotrophic cycle 53, 115, 119, 136, 248, 318
 Gp – See: G-protein
 GPCR – See: G-protein coupled receptor
 G-protein (Gp) 19, 20, 25, 66
 – coupled receptor (GPCR) 23, 45, 68
 GR – See: gustatory receptor gene
 grape berry moth 238
 grass infusion 47, 370, 371, 372, 373, 375, 376
 green leaf volatiles 204
 GRN – See: gustatory receptor neuron
 grooming 273
 – behaviour 224
 grooved peg 41, 44, 64, 309, 312, 313
 – sensilla 42, 48, 49, 51, 52, 53, 54, 65
Grus grus 259
 Guadeloupe 340, 341
 guanine 333, 339
 Guinea 183, 185
 Guinea Bissau 183
 guinea pig 295, 311
 gustatory
 – neuron 44

- organ 26, 64
- receptor cell 332
- receptor gene (GR) 146
- receptor neuron (GRN) 27
- sensilla 251

H

- Haemaphysalis leachi* 338
 haematin 333, 339
Haematobia irritans 293, 302
Haematobosca 301
 haematophagy 291
 haemostasis 353
 haemostatic defence 358
 Haller's organ 329, 330, 331, 332, 335
 hamster 205, 206, 351
 hard tick 327, 328
 Hawaii 219
 hay infusion 370, 371, 376
 HBC – See: human biting catch
 headspace extract 312
 heartwater 327, 336
 heat 46, 91, 109, 115, 127, 134, 136, 150, 234, 317, 320, 335, 340
 heat/thermal stimuli 257
Heliothis virescens 20, 23
 heptadecanal 165
 heptadecane 333
 n-heptadecane 224, 226
 heptadecanoic acid 151, 154, 164
 heptanal 72, 152, 163, 314, 331
 heptane 155
 heptanoic acid 70, 72, 151, 153, 159, 160, 163, 332, 333
 1-hepten-3-ol 50, 152, 156
 heterodimer 24, 45, 66
 heterogeneous odour plumes 381
 heterologous
 - expression 29, 71
 - platform 55
 - system 21
 heteromeric complex 20
 (E, Z)-6,11-hexadecadienyl acetate 65
 hexadecanal 165
 hexadecanoic acid 151, 153, 159, 161, 164, 165
 hexanal 152, 156, 163, 164, 165, 204, 331, 333, 337, 338
 hexane 165
 hexanoic acid 68, 153, 155, 156, 158, 163, 169, 190, 332, 333, 336, 337, 379
 1-hexen-3-ol 50
 4-hexen-1-ol 152, 156
 high-throughput 32, 165
Hippopotamus 276
 homeostasis 45
 homogeneous 129, 130, 132, 151
 homolog 24, 68
 honeybee 22
 host
 - cue 115, 127, 128, 132, 136, 143, 206
 - defensive behaviour 257
 - finding behaviour 133
 - lethargy 353
 - location 117, 129, 134, 135, 217
 - location behaviour 239
 - manipulation by parasites 359
 - odour 14, 117, 122, 127, 131, 134
 - orientation 136
 - -parasite relationships 299
 - preference 43, 128, 146, 249, 259
 - selection 272
 - stimuli 119, 133
 host-seeking 20, 26, 99, 100, 101, 103, 125
 - behaviour 69, 91, 92, 98, 100, 103, 105, 106, 109, 143, 145, 147, 148, 150, 157, 158, 162, 163, 165, 166, 167, 168, 169, 181, 182, 187, 188, 195, 197, 204, 247
 - behaviour, indoor 401
 - strategy 259
 house-entering 132, 133, 135
 house improvement 311
 hovering 134
 human
 - biting catch (HBC) 403
 - body odour 283
 - breath 293, 294, 331, 335
 - effluvia 314
 - emanation 145
 - feet 47
 - landing catch 191, 192, 196
 - landing collection 369, 382
 - odour 255
 - skin 46, 151, 156, 157, 162, 379
 - skin emanation 26
 - skin extract 379

- skin odour 380, 381
- sweat 250, 313, 317
- sweat odour 316
- urine odour 314
- humidity 134, 136
- hunter strategy 328
- Hyalomma dromedarii* 328, 342
- hydrogen sulfide 330, 333
- Hydrotaea irritans* 228
- 3-hydroxy-2-butanone 160, 162
- 2-hydroxybenzaldehyde 331
- 3-hydroxybenzaldehyde 331
- hydroxybenzaldehyde 332
- 2-hydroxybenzoic acid 154, 164
- 2-hydroxypentanoic acid 160
- hygroreceptor 44
 - cell 313
- Hymenoptera 74, 92
- hypoxanthine 333, 339

I

- iguanas 311
- Ilex vomitoria* 236
- immunomodulator 353
- impala 272, 273
- increased
 - attractiveness of pregnant women 352
 - biting behaviour 349
- India 310
- Indian Ocean 187
- 1H-indole 155
- indole 30, 47, 49, 50, 52, 53, 55, 70, 72, 160, 161, 336, 372
- Indonesia 310
- infectious diseases 17, 39
- infochemical 48
- infrared radiation 314
- inhibition 39
- inosine 333, 339
- insecticide-treated
 - bed net 405
 - cattle 278, 304
 - target 265
- in situ* hybridisation 52, 67
- interception trap 252
- interdigital gland substance 337
- Intergovernmental Panel on Climate Change (IPCC) 237

- interneuron 63
- intrinsic attractiveness 352
- intron 22
- invitation effect 255
- ionotropic 69
 - response 20
- IPCC – See: Intergovernmental Panel on Climate Change
- IR3535 404
- isobutanoic acid 333
- isobutylamine 313, 318
- isobutyric acid 313, 316, 317, 318
- isopentanoic acid 336
- isopentylamine 313
- isoprene 335
- isovaleric acid 313
- Israel 186
- Italy 376, 383
- Ivory Coast 278

Ixodes

- *angustus* 327
- *canisuga* 336
- *neitzi* 337
- *persulcatus* 336
- *ricinus* 328, 331, 332, 336, 337, 339, 340, 342
- *rubicundus* 340
- *scapularis* 333, 334, 336, 337, 339, 340, 341, 342, 343, 353, 400
- *texanus* 329
- *uriae* 334, 337, 339

Ixodidae 327

J

- Johnston's organ 75, 125, 130

K

- kairomone 28, 69, 70, 71, 115, 134, 136, 143, 147, 151, 157, 161, 165, 166, 167, 169, 181, 189, 194, 195, 196, 203, 205, 207, 235, 270, 271, 272, 273, 280, 281, 293, 297, 299, 302, 304, 328, 330, 337, 340, 399, 401, 402, 403, 404
- Kenya 183, 184, 185, 186, 190, 270, 273, 275, 278, 280, 301, 352, 355
- Kenyon cells 79
- ketone 26, 27, 52, 161, 167, 168, 191, 194, 293

- kissing bug 403
- klinokinesis 115, 116, 126, 127, 134, 232
 - longitudinal 126
 - transverse 126
- klinokinetic response 280, 296
- klipspringer antelope 337
- knock-down spray 403
- Kobus ellipsiprymnus* 272
- kudu 268, 272
- L**
- labellar
 - lobe 44, 64, 65
 - sensilla 52
- labellum 19, 25, 26, 27
- laboratory assay 295
- La Crosse encephalitis 291
- lactic acid 44, 47, 49, 51, 52, 53, 54, 55, 91,
 - 109, 143, 151, 152, 155, 156, 157, 158, 159, 160, 161, 162, 163, 167, 168, 223, 228, 237, 379, 381, 404
- L- 17, 92, 130, 187, 190, 191, 193, 194, 195
- L(+) 309, 317, 318, 380
- lactone 330, 332
- lambdacyhalothrin 233
- landing 117, 131, 135, 148, 151, 159, 161,
 - 167, 168, 181, 192, 207, 251, 272, 273, 355, 361, 370
- assay 156
- response 159, 206
- site 257
- larval
 - source reduction 366
 - trap 368
- larvicide 384
- lateral
 - accessory lobe 75
 - protocerebrum 75
- Latin America 309
- learning 148
- Leishmania* 349, 350, 357, 358, 360, 403
 - *chagasi* 203
 - *donovani* 205
 - *infantum* 204, 351, 357
 - *mexicana* 355, 357
- leishmaniasis 13, 17, 204, 206, 207, 209, 211
- lekking site 206
- lemon eucalyptus 235
- lemongrass 191
- Lepidoptera 65, 69, 74, 92
- Leucocytozoon* 249
 - *simondi* 249
 - *smithi* 249
- Liberia 183, 185, 274, 277
- light trap 370
- Limburger cheese 47, 51, 190, 194
- limonene 70, 72, 230, 232, 372
- linalool 70, 72, 73, 74, 230, 232, 235, 293
- lipid extract 337
- lipocalin 21
- lizard 281
 - monitor 276
 - odour 277, 278
 - urine 276
- locomotion compensator 315
- locomotor stimulant 335
- long-range
 - dispersal 374
 - orientation 270
 - response 268, 269
- loon 249, 259, 260
- lure 206, 207, 209
 - and contaminate' strategy 404
 - and kill 196
 - and kill tactic 403
- Lurex 237
- Lurex3 237
- LUSH 21, 22, 67
- Lutzomyia*
 - *carmelinoi* 208
 - *evandroi* 208
 - *evansi* 205
 - *intermedia* 205
 - *lenti* 208
 - *lichyi* 210
 - *longipalpis* 203, 204, 205, 206, 207, 208, 209, 210, 211, 351, 355
 - *migonei* 208
 - *neivai* 208
 - *tejadai* 208
 - *vexator* 210
 - *whitmani* 205, 206, 208
- Luxembourg 220
- Lyme disease 13, 327, 336, 338, 353
- lymphatic filariasis 350

M

- macroglomerulus 76
- Madagascar 183, 184, 185, 190
- MAG protein 118
- Malaise trap 299
- malaria 13, 17, 39, 63, 133, 144, 181, 182, 183, 185, 187, 195, 196, 291, 350, 351, 352, 355, 357, 358, 360, 361, 384, 402, 404
- Malawi 183, 184, 185, 186
- Malaysia 205, 310
- Mali 183, 185
- mammalophilic 249, 256
- Manduca* 68
 - *sexta* 76, 77
- mangrove 222, 274
- Mansonia* 127, 188, 193, 194
 - *africana* 41, 189
 - *uniformis* 41, 129, 188, 189
- mark-release-recapture 122, 133
- mass-spectrometry 145
- mass trapping 196
- mating 118, 209
 - aggregation 206, 207
 - behaviour 210, 211
 - disruption 209
 - swarm 236
- Mauritania 183, 185, 186
- Mauritius 183, 184
- maxillary palp 19, 24, 27, 28, 29, 30, 39, 40, 44, 48, 52, 54, 64, 65, 67, 91, 92, 93, 94, 102, 103, 104, 127, 146, 229, 230
 - sensilla 96, 97, 106
- Mean Female Aedes Index (MFAI) 386, 387, 388
- mechanical transmission 350
- mechanism
 - rate-sensitive 97
 - tonic response 97
- mechanoreception 116
- mechanoreceptive anemotaxis 125
- mechanoreceptor 125
- mechanosensory cue 130
- membrane potential 229
- memory
 - formation 79
 - system 80
- p-menthane-3 235
- menthol 230, 232
- menthone 70, 72
- meso-2,3-butanediol 164, 165
- metabotropic 69
- metacyclic promastigote 357
- Metarhizium anisopliae* 341
- methanoic acid 152
- 2-methoxyphenol 273
- 2-methyl-1-butanol 160, 162
- 3-methyl-1-butanol 50, 158, 160, 162
- 2-methyl-2-butanol 204
- 3-methyl-2-butylamine 313
- 3-methyl-2-hexanoic acid 236
- 3-methyl-2-hexenoic acid 50, 189
- (E/Z)-3-methyl-2-hexenoic acid 159, 161
- 4-methyl-2-methoxyphenol 273, 283
- 4-methyl-2-nitrophenol 331, 336
- 6-methyl-5-hepten-2-one 47, 53, 143, 154, 156, 160, 161, 169, 228, 230, 232, 235
- methyl-amine 313
- 2-methylbutanal 160, 162
- 3-methylbutanal 160, 162
- 2-methylbutanoic acid 160, 162
- 2-oxo-3-methylbutanoic acid 159, 161
- 3-methylbutanoic acid 151, 153, 158, 160, 162, 163, 187, 191, 194, 332
- methylbutyrate 48
- 2-methylbutyric acid 313
- 4-methylcyclohexanol 48, 50, 72
- 2-methyldocosane 224
- 8-methyldocosane 224
- 9-methylgermacrene 203, 204, 208
- 9-methylgermacrene-B 203, 208
- S-9-methylgermacrene-B 204, 207
- 3-methylindole 47, 53, 70, 72, 334, 336, 372, 373
- 4-methylnitrophenol 332
- 2-oxo-3-methylpentanoic acid 160, 161
- 2-oxo-4-methylpentanoic acid 160, 161
- 2-methylphenol 332, 336
- 3-methylphenol 70, 72, 223, 274, 276, 336
- 4-methylphenol 47, 50, 51, 53, 192, 195, 223, 265, 270, 273, 274, 276, 277, 278, 334, 336
- methylphenol 30
- 1S,2S'-2-methylpiperidinyl-3-cyclohexene-1-carboxamide 342
- 2-methylpropanoic acid 158, 161, 332, 334
- methyl propyl disulfide 155, 156, 164, 165

- methyl salicylate 230, 334, 339, 340, 341
 methyl sesquiterpenes 208
 methyl sulfide 154, 156, 164
 9-methyltricosane 224
 3-methyl- α -himachalene 203, 207
 Mexico 376
 MFAI – See: Mean Female Aedes Index
 microbiota 145, 162
 microfilariae 251
 microfilarial periodicity 355
 microsatellite DNA 281
 microvasculature 355
 midge 304
 Midgeater trap 237
 Midg-IT trap 237
 migratory flight 133
Mimosa pigra 274
 'miombo' woodland 267
 miR-279 29
Mitragyna inermis 274
 MM-X trap 149
 moisture 46, 91, 109, 115, 150
 molecular genetics 30
 monkey 187, 190
Morelia senegalensis 274
Morsitans group 265, 266, 267, 273, 274, 275, 278, 279
 mosquito 14, 20, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 39, 40, 41, 42, 44, 46, 47, 48, 51, 52, 53, 54, 55, 63, 64, 68, 69, 70, 72, 73, 74, 76, 78, 79, 80, 91, 92, 93, 94, 95, 96, 97, 98, 100, 101, 102, 103, 104, 106, 107, 109, 115, 117, 118, 119, 120, 121, 122, 124, 125, 126, 127, 131, 132, 134, 136, 143, 144, 145, 146, 147, 151, 155, 156, 157, 162, 165, 166, 167, 168, 169, 181, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 205, 239, 294, 298, 304, 316, 317, 318, 319, 351, 352, 353, 357, 358, 361, 368, 390, 400, 405
 – behaviour 17
 – genes 18
 – olfactory gene 21
 Mosquito Magnet trap 233, 234, 237, 382
 MosquitoTRAP 377
 MosquiTRAP 365, 367, 371, 372, 375, 376, 378, 384, 385, 388, 391
 moth 74, 76, 78, 117, 122, 123, 124, 126, 128, 135, 298
 mouse 317, 320
 mouthpart 40, 74
 – sensilla 251
 Mozambique 183, 184
 Murray Valley encephalitis 291
 Muscidae 101
 mushroom body 75, 79, 80
 β -myrcene 164, 165

N
 nagana 265
 Namibia 183
 naphthalene 230, 232
 Nasci aspirator 369
 neem 235
 nervous system 97
 neural
 – circuit 29
 – connection 63
 – network 76
 neuroethology 64
 neuron 21, 26, 27, 28, 29, 30, 41, 42, 43, 44, 45, 46, 50, 52, 53, 54, 69, 72, 78, 94, 96, 97, 98, 99, 101, 102, 105, 146, 206
 – empty 53, 71
 – postsynaptic 74
 – presynaptic 74
 – projection 63, 76, 78, 79
 neuronal signal filtering 78
 neurophysiology 165, 166
 New Guinea 310
 New Zealand 219
 NH₃ – See: ammonia
 Nicaragua 368
 nidicolous 327
 Niger 183, 186
 Nigeria 183, 185, 186
 nitric oxide 334, 335
 2-nitrophenol 331, 332, 334, 336, 337, 339
 o-nitrophenol 340, 341
 N,N-diethyl-meta-toluamide (DEET) 27, 30, 31, 48, 54, 55, 92, 106, 107, 168, 233, 235, 342, 404
 nocturnal 121, 125, 150

nonanal 70, 72, 143, 147, 152, 156, 162, 163, 164, 165, 230, 232, 314, 316, 317, 372, 373, 374, 375
 nonanoic acid 151, 153, 159, 161, 163, 332, 334, 339, 340
 2-nonanone 50
 (E)-2-nonenal 230, 232
 2-nonene 155
 non-nidicolous 327, 328
 non-random feeding 352
 non-vector biting fly 292
 nuisance insect 13
 nutritional state 118, 150
 Nzi trap 301

O

OBET – See: odour-baited entry trap
 obligate haematophagy 319
 OBP – See: odorant-binding protein
 Obp genes 68
 octadecanal 165
 octadecanoic acid 151, 154, 164, 165
 octan-1-ol 293
 octanal 72, 143, 152, 156, 230, 232, 314
 octanoic acid 68, 153, 159, 160, 163, 253
 1- and 2-octanol 253
 1-octen-3-ol 17, 27, 28, 29, 43, 48, 50, 52, 54, 55, 70, 72, 91, 92, 106, 109, 132, 156, 162, 187, 189, 190, 192, 194, 195, 207, 223, 228, 230, 232, 233, 234, 236, 237, 253, 265, 270, 293, 294, 295, 297, 298, 300, 301, 316, 317, 318, 334, 336, 337, 339, 404
 octenal 337
 2-octene 155
 7-octenoic acid 50, 53, 159, 161, 187, 189, 194, 236
 octenol 167, 253, 254, 271, 272, 274, 276, 277, 278, 282
Odocoileus virginianus 336, 337
 odorant 14, 30, 39, 44, 46, 76
 – -binding protein (OBP) 17, 20, 21, 22, 24, 25, 39, 44, 63, 64, 65, 66, 67, 80, 211, 343, 400
 – degrading enzymes 20
 – stimuli 26
 odorant receptor (OR) 17, 19, 20, 23, 29, 30, 46, 63, 64, 66, 76, 80, 343
 – gene 45

– neuron (ORN) 19, 20, 23, 24, 26, 27, 28, 29, 30, 31, 32, 40, 41, 42, 43, 44, 45, 46, 47, 48, 50, 51, 52, 53, 55, 64, 66, 68, 69, 70, 71, 72, 73, 74, 76, 77, 78, 231
 – protein 17, 25
 odour 48, 51, 55, 71, 77, 79, 115, 116, 118, 123, 125, 129, 133, 162, 165
 – -baited entry trap (OBET) 129, 132, 133, 136, 188, 189, 190, 191, 192, 194, 196
 – -baited station 403
 – -baited target 282
 – -baited trap 14, 217, 239, 278, 283, 309, 401
 – blend 17, 27, 46, 69, 71, 144, 145, 157, 166, 169, 236
 – blend, natural 315
 – coding 31, 39, 45, 46, 63, 64, 78
 – cue 121, 122, 134
 – -degrading enzyme 343
 – discrimination 79
 – -mediated upwind anemotaxis 166
 – -modulated anemotaxis 314
 – -modulated behaviour 401
 – plume 71, 73, 117, 119, 120, 121, 122, 123, 124, 125, 126, 127, 129, 132, 133, 134, 135, 136, 269, 296
 – profile 147
 – receptor cell (ORC) 312, 313, 314, 316
 – source 124, 130
 – space 24, 30
 – stimulus 45, 73, 124
 olfactometer 95, 127, 129, 143, 146, 148, 149, 150, 151, 155, 156, 158, 159, 160, 161, 162, 163, 166, 167, 168, 208, 223, 226, 258, 272, 273, 291, 294, 295, 315, 320, 335, 375, 402
 – dual-port 152, 158, 163, 374
 – Y-tube 152, 223, 230, 232, 379
 olfactory
 – behaviour 14, 15, 80
 – coding 80
 – cue 47, 119, 125, 146, 150, 165, 168, 182
 – gene 20, 399, 400
 – lobe 55, 74
 – neuron 42, 106
 – organ 52
 – physiology 24, 39
 – processing 77, 80

- protein 18, 23
 - receptor 31, 39, 45, 68, 330
 - receptor cell 309
 - receptor gene 146
 - receptor neuron 39, 92, 95, 230
 - receptor neuron (ORN) 18
 - receptor protein 44
 - regulation 14
 - response 31
 - sensilla 27, 41, 43, 44, 48, 49, 312
 - sensilla type 229
 - signal 78, 91
 - signalling 23, 29, 69
 - signalling pathways 21
 - signal transduction 29, 32, 66
 - stimuli 144
 - transduction 19, 20
 - ommatidia 256
 - Onchocerca*
 - *cervicalis* 220
 - *volvulus* 248, 261, 350
 - opossum 310
 - opportunistic 128, 147, 156, 183, 205
 - optic lobe 26
 - optomotor
 - anemotaxis 115, 125, 134, 269, 271
 - response 123, 126
 - OR – See: odorant receptor
 - OR7 24
 - OR83b 24, 44, 66, 68, 69
 - ORC – See: odour receptor cell
 - Oreotragus oreotragus* 337
 - orientation 91, 92, 109, 115, 116, 117, 119, 120, 121, 122, 124, 125, 127, 128, 129, 130, 132, 134, 160
 - behaviour 78
 - ORN – See: odorant receptor neuron
 - Ornithodoros erraticus* 333, 335
 - Ornithodoros turicata* 340
 - ornithophilic 147, 249, 257
 - species 254
 - orthokinesis 126, 127, 232
 - orthokinetic response 280, 296
 - ortholog 29, 69, 74
 - oviposition 47, 48, 49, 50, 51, 53, 54, 55, 68, 69, 80, 99, 118, 133, 136, 203, 204, 205, 208, 236, 238, 239, 319, 372, 373, 374, 375, 376, 384, 400
 - attractant 365, 367
 - behaviour 26
 - cue 375
 - site 371
 - site, artificial 370
 - skip- 378
 - trap 367
 - ovitraps 368, 377, 378
 - ox
 - blood 355
 - odour 270, 271, 272, 274, 277, 301
 - odour, natural 269
 - urine 272
 - 2-oxobutanoic acid 159, 161
 - oxocarboxylic acid 47, 50, 52
 - 2-oxohexanoic acid 160, 161
 - 2-oxooctanoic acid 160
 - 2-oxopentanoic acid 159, 161
 - 2-oxopropanoic acid 159
 - ozone 238
- P**
- packed cell volume 354
 - Palpalis* group 265, 266, 267, 274, 275, 278, 279, 281, 282, 283
 - Panama 205
 - Panicum maximum* 371, 372, 373, 375
 - Panstrongylus megistus* 310, 321
 - Papua New Guinea 352
 - Paraguay 311
 - Paralobesia viteana* 238
 - parasite periodicity 355
 - paraffin oil 70, 72
 - passive ambush tactic 328
 - Patagonia 219
 - pathway 21
 - PBP – See: pheromone-binding protein
 - Pediculus humanus* 400
 - penguin 340
 - pentacosane 155
 - pentadecanal 165
 - pentadecanoic acid 151, 153, 164
 - pentanoic acid 151, 153, 158, 160, 334, 336, 337
 - 2-pentanone 154, 156
 - 3-pentanone 154, 332
 - peptide 22, 64
 - peridomestic 311

- peripheral
 - olfactory system 53, 63, 64, 74
 - sensory neuron 103
 - sensory system 101
 - Periplaneta americana* 76
 - Peru 311, 368
 - phagostimulant 251
 - Phantom Midge 94
 - pharyngeal pump 354
 - phasic response 73
 - phasic-tonic discharge pattern 102
 - phenol 46, 50, 53, 55, 163, 194, 223, 230, 236, 272, 273, 276, 277, 282, 330, 336
 - phenylacetaldehyde 341
 - pheromone 20, 21, 23, 27, 32, 46, 65, 69, 70, 71, 80, 122, 123, 124, 126, 135, 204, 205, 206, 210, 211, 224, 226, 236, 238, 328
 - -binding protein (PBP) 65
 - -mediated behaviour 238
 - plume 125, 128
 - receptor 68
 - receptor neuron 96
 - tag 341
 - Phlebotomus* 204
 - *argentipes* 205, 207, 208, 210
 - *duboscqi* 208, 210
 - *longipes* 210
 - *martini* 210
 - *orientalis* 208, 210
 - *papatasi* 208
 - physical cue 150
 - physiological state 53, 117, 118, 135
 - Phytoseiulus persimilis* 74
 - Picaridin 404
 - pig 187, 191
 - pigeon 162, 311
 - α -pinene 48, 164, 165
 - α (+) pinene 314
 - plague 359
 - Plasmodium* 181, 350, 353, 403
 - *chabaudi* 351, 354, 356
 - *falciparum* 181, 352, 353, 355
 - *gallinaceum* 351, 356, 358
 - *knowlesi* 181
 - *malariae* 181
 - *ovale* 181
 - *vivax* 181
 - *yoelii nigeriensis* 354, 356
 - plume 101, 109, 115, 116, 119, 123, 124, 127, 131, 132, 134, 135, 151, 236, 252, 253, 270, 294, 380, 381 – See also: odour
 - plume
 - filamentous 73
 - following 115, 117, 128, 129
 - homogeneous 73
 - intermittent 130, 132
 - structure 117, 135, 136
 - temperature 234
 - Porapak 331
 - positive anemotaxis 314
 - Premise Index 366, 368
 - pre-orbital gland 272
 - presynaptic inhibition 78
 - Principe 266
 - probing time 354
 - proboscis 24, 25, 39, 40, 44, 52, 64, 65, 67, 93, 104
 - promastigote secretory gel 357, 358
 - propanal 163
 - propanoic acid 151, 153, 158, 160, 163, 334
 - propionic acid 48, 70, 72, 237
 - 3-n-propylphenol 192, 195, 223, 233, 265, 270, 273, 274, 277, 278
 - Prosimulium decemarticulatum* 260
 - Prostomoxys 301
 - proteophosphoglycan 357
 - prothoracic tarsi 251
 - protocerebrum 79, 80
 - Pterocarpus santalinoides* 274
 - pulsed stimulation 315
 - push-pull
 - approach 341, 342
 - effect 338
 - strategy 235, 239, 404
 - system 234
 - 4-pyridinamine 155
 - pyridine 155, 314, 318
 - pyruvate 334, 337
 - pyruvic acid 48
- Q**
- quality coding 77
 - questing 328
 - behaviour 335, 337

R

- R_0 13, 358, 359, 360
- rabbit 311
 - odour 313, 331
- ranging
 - flight 119, 121, 124
 - strategy 121
- receptor 19, 23, 28, 29, 69, 70, 71, 98, 127, 211
 - neuron 46, 52, 53, 63, 91, 92, 95, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107
 - potential 229
- Reduviidae 309
- refuge 311
- removal trapping 233, 404
- repellent 15, 30, 54, 143, 144, 145, 146, 148, 150, 156, 157, 162, 167, 168, 169, 182, 191, 228, 233, 235, 239, 283, 304, 328, 337, 341, 343, 404
 - spatial 235
- reproductive fitness 350
- reptile 275
 - faeces 340
- response 29, 30, 39, 45, 48, 73, 95, 97, 98, 99, 100, 101, 102, 103, 106, 115, 122, 128, 135, 146, 148, 150, 159, 161, 162, 168, 187, 192, 197, 205
 - electrophysiological 103
 - excitation 46
 - pattern 73
 - short-range 268, 270
 - spectra 29
 - threshold 102
 - tonic 46
- Rhinomusca 301
- Rhipicephalus*
 - *appendiculatus* 333, 338, 339, 341
 - *evertsi* 338, 341
 - *microplus* 328, 329, 331, 332, 333, 334, 337
 - *sanguineus* 333, 335, 336
- Rhodnius prolixus 309, 312, 314, 319, 320, 321
- Rift Valley fever 17, 352, 354
- rinderpest 266
- risk
 - assessment 13
 - model 220

- River Blindness 248
- RNAi 400
 - knock-down 211
 - strategy 68
- rolling fulcrum model 258
- Russia 221
- Rwanda 183, 185, 186

S

- Sabethes cayaneus* 121
- Saccharomyces cerevisiae* 320
- salicylaldehyde 334
- saliva 251
- salivary
 - antigen 248
 - gland protein 353
- sandfly 69, 124, 203, 204, 205, 206, 207, 208, 209, 211, 357, 358, 400, 403
- savanna 256
- scanning electron micrograph 92, 93
- scent-marking behaviour 337
- Sclerica bractaeda* 371
- Scotland 221, 226, 227, 231, 232, 402
- scotophase 150, 319
- screenhouse 190
- screwworm fly 144, 402
- second messenger 66
- secretion 331
- semi-field 187, 188, 191, 193, 195, 197, 375, 378, 401
 - enclosure 401
 - study 383
 - test 374
- semiochemical 21, 47, 107, 115, 117, 143, 144, 145, 146, 148, 150, 165, 166, 168, 209, 211, 231, 235, 239, 341, 402, 404
- Senegal 183, 185, 186, 190, 274
- sensillum 18, 21, 24, 26, 30, 40, 42, 44, 46, 47, 52, 55, 63, 64, 66, 67, 68, 69, 71, 74, 92, 93, 94, 95, 99, 146, 206, 211, 229, 329, 330
 - ampullacea 41, 42
 - basiconica 41, 52, 64, 67, 92, 93, 94, 99, 102, 104, 229, 230, 309, 312, 314
 - chaetica 41
 - coeloconica 41, 42, 43, 44, 64, 229
 - coeloconica, large 42
 - trichodea 23, 31, 41, 42, 43, 44, 48, 49, 53, 54, 64, 65, 67, 69, 70, 72, 73, 107, 312

- sensory
 - cue 92, 259
 - neuron 64, 105, 106
 - neuron membrane protein (SNMP) 19, 20, 21, 23
 - organ 64
 - periphery 80
 - physiology 399
 - stimuli 30
 - system 115, 146
- Sergentomyia* 204
 - *fallax* 208
 - *minuta* 208
- servosphere 315, 316, 317, 335
- sesquiterpene 208
- sex pheromone 203, 207, 208, 209, 341
- sexual dimorphism 74, 80
- sexually dimorphic macroglomeruli 78
- Seychelles 184
- sheep 187, 191
 - odour 314
- short-chain
 - aliphatic amine 313
 - carboxylic acid 313
 - fatty acid 330
- Sierra Leone 183, 185, 186
- signal 91
 - transduction 17, 18, 24, 63
- signalling 204
 - molecule 68
 - pathway 20, 66
- Simuliidae 101
- Simulium*
 - *anatinum* 250, 254, 260
 - *annulus* 259
 - *arcticum* 247, 248, 249, 252, 254, 256, 257
 - *aureum* 260
 - *damnosum* 250, 255, 256, 260
 - *euryadmiculum* 249, 250, 254, 257, 259, 260
 - *luggeri* 248
 - *meridionale* 254
 - *rugglesi* 250, 254, 257, 259, 260
 - *venustum* 248, 251, 252, 255
 - *vittatum* 249, 251
- Singapore 384
- single sensillum
 - electrophysiology 330, 332
 - recording (SSR) 26, 27, 45, 69, 146, 206, 228, 312
- singleton 24
- sit-and-wait strategy 121, 268
- skin 205, 206
 - emanation 127, 129, 143, 145, 155, 157, 158, 162, 235
 - microbial flora 351
 - odour 120, 128, 130, 317, 335
 - secretion 255
- SkinLure 383
- sleeping sickness 278
- smell 39
- snapping turtle 248
- SNMP – See: sensory neuron membrane protein
- sodium hydroxide 335
- soft tick 327
- solid phase micro extraction (SPME) 228, 372
- solvent washings 228
- Somalia 183, 184, 185, 186, 268, 274, 279, 280, 282
- sound 91
- South Africa 183, 184, 185, 186, 266, 268, 280
- South America 249
- spider mite 74
- SPME – See: solid phase micro extraction
- Spodoptera littoralis 76
- squalene 155, 334, 337
- Sri Lanka 207
- SSR 71, 73 – See: single sensillum recording
- stable fly 291, 292, 294, 296, 297, 299, 302, 304
- Staphylococcus epidermidis* 145
- steer hair extract 332
- Stegomyia 368
- sticky panel 266
- sticky trap 252, 367, 372, 376, 377, 378, 391
- Stomoxyinae 291, 299
- Stomoxys* 291, 293, 298, 301, 303
 - *calcitrans* 236, 292, 300
 - *niger niger* 300
 - *nigra* 350
 - *sitiens* 300
- Stygeromyia 301

styrene 155
 suboesophageal ganglion 26, 27
 suction trap 121
 Sudan 183, 185, 186
 sugar feeding 236
 sulcatone 50
 sulfide 164
 surveillance 14, 309, 340
 – system 299
 – tool 299
 Swaziland 184
 sweat 47, 51, 54, 130, 157, 161, 195
 Sweden 259
 Sweetscent dispenser 380
 synergism 55, 152, 158, 159, 169, 194, 209
 synergistic effect 47, 167, 379
 Syria 186
Syzygium guineense 274

T

Tabanidae 101, 121
 Tanzania 183, 184, 185, 186, 188, 189, 191,
 192, 193, 402
 targeted on-host control 341
 temporal coding 73
 tent trap 254
 terpene 46, 207, 208, 314
 terpinen-4-ol 314, 318
 terpineol 51
 – α (+) 314
 tetradecanal 165
 tetradecanoic acid 151, 153, 159, 160, 164,
 165
 Thailand 368
 The Gambia 191, 193
 theileriosis 327, 336
 The Netherlands 220
 thermal cue 117
 thermoreceptor 126, 340
 thigmotaxis 311, 312
 α -thujone 48, 51, 70, 72
 tick 14, 69, 74, 327
 – -borne disease 13
 – -borne encephalitis 327
 – climbing bioassay 338
 – repellent 342
 tissue, olfactory 21
 Togo 183, 185, 186

toluene 155
 tonic spiking pattern 74
 tourism 221
Toxorhynchites brevipalpis 121
 transduction 20
 – mechanism 68, 80
 – olfactory 18, 44
 – pathway 19
 transgene 29, 67
 transmission 106
 – risk 405
 trap 14, 108, 117, 129, 131, 132, 144, 157,
 162, 181, 187, 188, 189, 190, 191, 192,
 193, 194, 195, 196, 205, 207, 208, 232,
 233, 236, 237, 261
Triatoma
 – *brasiliensis* 321
 – *dimidiata* 309, 321
 – *infectans* 350
 – *infestans* 309, 310, 312, 313, 314, 315,
 317, 319, 320, 321
 – *pallidipennis* 321
 – *pseudomaculata* 321
 Triatominae 309, 310
 triatomine 69, 315, 317, 319, 320, 321, 356
 – bug 144, 309, 311
 – trap 321
 tridecanoic acid 153, 159, 161, 163
 2,4,5-trimethylthiazole 48
Trypanosoma 265, 277
 – *brucei* 282
 – *brucei gambiense* 266, 282, 350
 – *brucei rhodesiense* 282, 350
 – *congolense* 282, 352, 355
 – *cruzi* 309, 310, 318, 350, 356
 – *vivax* 282, 355
 trypanosomiasis 13, 161, 265, 266, 275, 278,
 279, 282, 283, 291
 tsetse 14, 117, 118, 119, 121, 123, 124, 125,
 132, 135, 144, 161, 167, 207, 230, 236,
 237, 253, 261, 265, 269, 270, 291, 292,
 296, 297, 298, 299, 301, 303, 304, 336,
 355, 357, 361, 402, 403, 404, 405
 – control 282
 tuning 69, 70, 71
 – curve 71, 77
 – profile 71, 79
 Tunisia 208

turbulence 116, 122, 125

turbulent

- diffusion 120
- flow 124
- plume 157
- presentation 129
- stream 109

U

Uganda 183, 185, 186, 275, 282

Ulomyia fuliginosa 203

undecanal 165, 338

undecanoic acid 151, 153, 163

2-undecanone 70, 72

United Kingdom 220, 235

upwind

- anemotaxis 134, 252, 271, 295, 296, 298, 301
- flight 381
- flight behaviour 401
- movement 295

uric acid 334, 340

urine 192, 235, 336, 351

- odour 313

uropygial

- gland 254, 260
- odour 250, 259

Ursus americanus 249

Uruguay 311

USA 221, 222, 223, 234, 235

V

11-cis vaccenyl acetate 67

vacuum distillation 228

γ -valerolactone 331, 332

Varanus niloticus niloticus 276

vasodilator 353, 358

Vavoua trap 299, 301

vector

- behaviour, changes in 356
- -borne disease 106, 143, 144, 181
- control 14, 32, 405
- longevity 350
- manipulation 359

vectorial capacity 182, 203, 360

ventilated pits 268

Vesicular Stomatitis Virus 249

visual

– contact 256

– cue 46, 117, 121, 125, 126, 132, 134, 136, 150, 292

– resolution 121

– stimulus 117, 130, 247

voltinism 238

Vulpes vulpes 206

W

Wahlund effect 281

warthog 268, 269, 272, 276

water 48

waterbuck 272, 273

water buffalo 223, 230

waterfowl 259

weather

- effect of 226

West Africa 247

West Nile 13, 17, 39, 103, 144, 146, 165, 384

white-tailed deer 336, 337

Wilhelmia equina 257

Wilton trap 367, 370

wind

- speed 226
- tunnel 120, 121, 122, 126, 128, 131, 135, 136, 143, 148, 152, 157, 159, 232, 258, 269, 294, 295, 296, 335, 381, 401, 402

Wuchereria bancrofti 350, 355

Wyomia smithii 41

X

xanthine 334, 339

Xenopus 27, 29, 31, 146

Y

yeast-baited trap 321

yeast odour 320

yellow fever 17, 39, 354, 365, 368, 401, 402

Yersinia pestis 357, 359

Y-tube – See: olfactometer, Y-tube

Z

z-4-decanal 152, 156

Zambia 183, 185, 186, 268, 278

Zanzibar 184

zebra 273

Zimbabwe 183, 184, 185, 186, 192, 268, 270, 273, 278, 279, 280, 300, 301, 303, 341

zoonosis 310
zoophagic 184
zoophilic 43, 129, 162, 183, 184, 186